Index for Volume 22 (1973)

COMPILED BY TROY L. BEST

Abutilon, 550, 551
Acanthocardia, 456
Acanthoscelides, 280–294
  aureolus, 282, 285, 286
  bisignatus, 282, 285
  biustulus, 282, 284, 286, 287
  chiricahuae, 282, 285
  collusus, 282, 285, 286
  compressicornis, 282, 284, 285
  daleae, 282, 285, 286
  fraterculus, 282, 285, 286
  fumatus, 282, 286
  griseolus, 282, 286
  inquisitus, 282, 286
  lobatus, 282, 285
  margaretae, 282, 285
  mexicanus, 282, 285
  mixtus, 282, 285
  napensis, 282, 286
  obrienorum, 282, 285
  obtectus, 282, 285
  oregonensis, 282, 285
  pauperculus, 282, 286
  perforatus, 282, 285
  prosopoides, 282, 283, 285
  pulloides, 282, 284, 286
  pullus, 282, 285
  pungiunculus, 282, 284, 286, 287
  rufovittatus, 282, 286
  seminulum, 282, 285
  subaequalis, 282, 285
  submuticus, 282, 283, 286
Acari, 176–183
Accipiter, 443
Accipitridae, 443
Acer, 550, 551
Acerodon, 16, 26
Acid,
  2, 3-diphosphoglyceric, 508, 509, 522, 524
Acila, 455
Acrasiales, 482–484
Acrodus, 464
Adaptation, versatility and evolution, Geerat J. Vermeij, 466–477
Adaptive morphology, 451–465
Adaptive radiation and the origin of form in the earliest multinuclear organisms, G. Ledyard Stebbins, 478–485
Adaptive strategies leading to the ectoproct groundplan, Jack D. Farmer, James W. Valentine and Richard Cowen, 233–239
Aedes, 301
Aenigmonia rosea, 621
Aethalops, 16, 26
Aethantus, 567
Agnatha, 511
Albumin differences among ranid frogs: Taxonomic and phylogenetic implications, Donald G. Wallace, Mary-Claire King and Allan C. Wilson, 1–13
Albunea, 630
Albuneidae, 625, 627
Alcaligines, 556, 559–561, 563
  faecalis, 560
Alcippe, 135, 138
Alectrion
  lentiginosus, 612
  olivaceus, 614
Alfalfa, 573, 576, 583, 584
Allendorf, Fred W., see Utter, Fred M., —
Allopatric, 213–218
Alpioniscus feneriensis, 73
Ambler, R. P., Bacterial cytochromes *c* and molecular evolution, 554–565
Ametrida, 18, 26
Amino acid compositions of cytochrome *c* from four hymenopteran species: Evolutionary significance, Charles W. Carlson and Ronald W. Brosemer, 77–83
Amino acid sequences of cytochrome *c* and plastocyanins in phylogenetic studies of higher plants, Donald Boulter, 549–553
Ammotragus lervia, 515
Amorpha, 283, 285, 286
Amorphochilus, 18, 24
Amphibia, 474
Anabantidae, 435
Anadara, 456
Analogous, 596
Analysis,
  cluster, 295–301
  principal component, 219–226
Anas
  platyrhynchos, 216
  rubripes, 216
Andronicus subterraneus, 73
Angiosperm, 468, 471, 484
Anisomys, 38, 41, 44
  imitator, 39
Annelida, 101
Anomalodesmata, 487
Anopheles, 301
Anoura, 17, 26, 27
Antedon, 114
Anthops, 17, 24
Antrozous, 18, 23, 25

Aotes trivirgatus, 515
Apis mellifera, 77–83, 279
Apoda, 138
Arapaima gigas, 312
Arcacea, 453
Arceuthobium, 567
Architecture, 405–408
Arcidae, 488
Ardea cinerea, 443–446
Ardeidae, 442
Ardeola ralloides, 443–447
Ardops, 17, 26
Area concept, 227–232
Argyrotaenia velutinana, 104
Ariteus, 17, 23, 26
Arrhopalites pygmaeus, 73
Arthropoda, 100, 101
Artibeus, 17, 26
Articulata, 100
Arum maculatum, 550
Ascomycetes, 481, 482
Asellia, 17, 24
Aselliscus, 17, 24
Ashlock, A. D., 310–312
Assiminea brevicola, 611, 612
Astacus fluviatilis, 535
Astarte, 498
Astraea, 467
Astragalus, 283, 285, 286
Asymmetry,
  population, 166–170
Ateles, 415
  geoffroyi, 515
Australopithecus, 409–411, 419, 421, 529
A[vena]
  byzantina, 119, 125
  nuda, 119, 125
  orientalis, 119, 125
  sativa, 119, 125
Azotobacter, 556, 563, 571
  vinelandii, 557–559, 561

Bacillaria minima, 613
Bacilli, 560
Bacillus
  licheniformis, 556, 560
  polymyxa, 571
Bacterial cytochromes *c* and molecular evolution, R. P. Ambler, 554–565
Badis, 434
  badis, 433
Bacodon, 18, 24
Bagridae, 425
Bairdiella icistius, 474
Baja California, 30–35
Balanidae, 138
Balantiopteryx, 16, 24
Balanus, 138
Balionycteris, 16, 26
Barbastella, 18, 25
Barnacle, 132–140
Basidiomycetes, 481, 482
Bat, 73
Bat faunas: A trophic comparison, Don E. Wilson, 14–29
Baum, B. R. and L. P. Lefkovitch, A numerical taxonomic study of phylogenetic and phenetic relationships in some cultivated oats, using known pedigrees, 118–131
Bee-eater, 448, 449
Bees, 77–83
Beetle,
  seed, 280–294
Biogeography, 64–76, 227–232, 312–320
Biosystematic studies on *Trichogramma* species (Hymenoptera: Trichogrammatidae) II. Experimental hybridization between some *Trichogramma* spp. from the New World, Sudha Nagarkatti and M. Fazaluddin, 103–117
Bird, 219–226, 442–450
  of paradise, 492
Bivalvia, 486–506
Bluebell, 550
Bock, Walter J., Philosophical foundations of classical evolutionary classification, 375–392
Bodonidae, 482
Bohr effect, 518, 521, 524
Boldonia robiati, 73
Bombus nevadensis, 77–83
Boneia, 16, 26
Bootje, W., see van der Steen, W. J. and —
Boulter, Donald, Amino acid sequences of cytochrome *c* and plastocyanins in phylogenetic studies of higher plants, 549–553
Bovidae, 590
Brachyphylla, 17, 27
Braconidae, 114
Brassica
  napus, 550, 551
  oleracea, 550, 551
Brinkhurst, Ralph O. and Barry G. M. Jamieson, Aquatic Oligochaeta of the World (rev.), 196–197
Brosemer, Ronald W., see Carlson, Charles W. and —
Bruchidae, 280–294
Brundin, Lars, review by, 203–206
Bungarus, 603
  multicinctus, 598, 605
Burrowing,
  mollusks, 487
  sculptures, 451–465

Caecidae, 472
Caesalpinioideae, 284, 285
Calanoida, 302–309
Calappidae, 626, 628, 629
Calcium binding, 533–548

Cancer raninus, 625
Candacia, 302–309
  armata, 303, 306, 307
  bipinnata, 303, 306, 307
  bradyi, 303, 306
  catula, 303, 306, 307
  cheirura, 303, 305, 306, 308
  columbiae, 303, 306
  curta, 303, 306, 307
  discaudata, 303, 305, 306
  elongata, 303, 305, 306, 308
  ethiopica, 303, 306, 307
  falcifera, 303, 305, 306, 308
  grandis, 303, 305, 306
  guggenheimi, 303, 305, 306, 308
  ketchumi, 303, 305, 306, 308
  longimana, 303, 305–308
  magna, 303, 305, 306, 308
  maxima, 303, 306
  norvegica, 303, 305, 306, 308
  pachydactyla, 303, 305–307
  paenelongimana, 303, 305, 306, 308
  parafalcifera, 302
  pofi, 303, 305, 306, 308
  samassae, 303, 305, 306
  tenuimana, 303, 305–308
  varicans, 303, 305–307
Candaciidae, 302–309
Cannabis, 550, 551
Capony, J. P., see Pechère, J. F., —
Caprinidae, 501
Carassius auratus, 216
Cardiacea, 453
Cardiidae, 472
Cardioderma, 17, 21, 23
Carditidae, 488
Cardium
  edule, 498
  glaucum, 498
Carlson, Charles W. and Ronald W. Brosemer, Amino acid compositions of cytochrome *c* from four hymenopteran species: Evolutionary significance, 77–83
Carnivora, 499
Carollia, 17, 26
Carp, 510, 511, 516, 533–536, 538, 541–544
Caryophyllidae, 552
Casinycteris, 16, 24, 26
Cassia, 285
Cassidula
  aurisfelis, 611–613
  fabula, 614
Cassis, 468
Cathedral,
  Norwich, 403
Catostomus, 511, 516, 527
  clarkii, 510
Caves, 64–76
Centronycteris, 16, 24
Centrospermae, 550, 552
Centurio, 18, 26
Cerastoderma, see *Cardium*
Cercopithecus, 410
Cerithidea
  cingulata, 612, 616
  decollata, 613, 614, 619
  montagnei, 619
  obtusa, 612, 613, 616, 619
  quadrata, 612, 613, 616, 619
Cerithiidae, 616, 619
Cerithium, 468
  coralium, 612, 616
  morus, 614, 616
  patulum, 612–614, 616
Chalcidoidea, 112
Chalinolobus, 18, 24
Chant, D. A., see Hansell, R. I. C. and —
Characidae, 425
Character displacement, 361
Characters, 46–49
Cheiromeles, 19, 25
Chimpanzee, 514, 515, 519, 521, 529
Chione, 498
Chiroderma, 17, 26
Chironax, 16, 26
Chironomus, 511, 517
  thummi, 509, 510
Chlamydomonas, 479
Chlorobium, 556, 557, 560, 562, 563
  limicola, 575, 582
  thiosulfatophilum, 558, 559, 561, 562
Chlorococcum, 481
Chloropseudomonas ethylica, 557–559, 561
Choanoflagellates, 482
Choeroniscus, 17, 27
Choeronycteris, 17, 23, 26, 27
Chordata, 101
Chresonymy, on, David C. Rentz, 195
Chromatium, 560, 571, 573–575, 578, 582, 585, 587
  vinosum, 560, 561
Chromosomes and systematics of the Baja California whiptail lizards *Cnemidophorus hyperythrus* and *C. ceralbensis* (Reptilia: Teiidae), Michael D. Robinson, 30–35
Chrotopterus, 17, 21
Chrysomonadinae, 479
Church, 402–403
Chytridiomycota, 481
Cichla, 438, 439
  ocellaris, 433–435
Cichlidae, 425–441
Ciconiiformes, 442
Cimicidae, 106
Circus, 443
Cirripedia, 132–140
Cladistic, 50–54
Clariidae, 425

Classification,
biological, 338–343
evolutionary, 375–392
phenetic, 280–294
phylogenetic, 280–294
Classification as an expression of phylogenetic relationships, Gareth Nelson, 344–359
Cloeotis, 17, 24
Clostridium, 586
acidi, 573–575
butyricum, 573–575, 579, 581
pasteurianum, 573–575, 578, 582, 584, 586
tartarivorum, 573–575, 581
thermosaccharolyticum, 573–575, 581
Cloudsley-Thompson, J. L., The temperature and water relations of reptiles (rev.), 201–202
Clustering, 295–301
Cnemidophorus
ceralbensis, 30–35
deppei, 32, 34
guttatus, 32, 34
hyperythrus, 30–35
lineatissimus, 30, 32, 34
tesselatus, 30
tigris, 30
Cockle,
European, 498
Cod, 536, 538
Codakia, 453
Coelacanth, 535, 538, 543, 544, 546
Coelacanthini, 469, 471
Coelenterata, 482
Coelomate superphyla, James W. Valentine, 97–102
Coelops, 17, 24
Coleoptera, 280–294
Coleura, 16, 24
Colless, Donald H., A note on LeQuesne's uniquely derived character concept, 320–321
Comments on Leon Croizat's biogeography, Gareth Nelson, 312–320
Comparing the shapes of taxonomic trees, on, James S. Farris, 50–54
Comparisons, 375–392
Competition on rates of evolution, with special reference to bivalve mollusks and mammals, effects of, Steven M. Stanley, 486–506
Competitive exclusion, 361
Components,
principal, 141–156, 157–165
Compositae, 484, 550
Concept of zoogeographic subregions, the, David Horton, 191–195
Conilurus, 38
Contemporary systematic philosophies (symposium), 337–400
Continuous variation, Leigh Van Valen, 93
Convergence, 21
Copepod, 141–156, 302–309
Corbula, 472
Corculum, 402, 459–461
Corcyra cephalonica, 105
Crematodus taeniatus, 436, 437
Cormura, 16, 24
Corystes, 627, 628, 630
Corystidae, 627, 628
Covariation, 219–226
Cowen, Richard, see Farmer, Jack D., —
Crab,
mole, 456, 458
Crabs, 625–632
Cracraft, Joel, 399
Crayfish, 535
Creodonta, 499
Crinia
laevis, 215
victoriana, 215
Croizat, Leon, 312–320
Crossomys monktoni, 39
Crotalus viridis, 603
Crotaphytus
silus, 215
wislizenii, 215
Crustacea, 141–156, 451–465, 625–632
Cryptophialus, 138
Ctenophora, 482
Cucurbita, 550, 551
maxima, 550
Culex, 301
Culiseta, 301
Cyclodorippe, 626
Cynopterus, 16, 26
Cyprinidae, 425
Cyprinus carpio, 216, 410, 535, 536, 538
Cyrtorhina, 627
Cytochrome *c*, 77–83, 549–553, 554–565, 590, 596
Cyttarops, 16, 24

Dalea, 283, 285, 286
Daphnia, 141
Darwin, 132–140
Darwin, 340
Daucus carota, 272
Dayhoff, Margaret O., Atlas of protein sequence and structure, 1972 (rev.), 196
Decapoda, 625–632
Definitions, 375–392
Delphinus delphis, 510
Demaille, J., see Pechère, J. F., —
Dendroaspis, 603
angusticeps, 600, 605
jamesonii, 598, 602–605
polylepis, 598, 602–605
Dendrocoelum, 73
Dendrocopus
major, 216
syriacus, 216
Dendrophtora clavata, 567, 568
Depanycteris, 16, 24

Desmanthus, 285
Desmodium, 284, 286
Desmodus, 18, 22
  rotundus, 22
Desulfovibrio, 556, 557
  desulfuricans, 557
  gigas, 557, 571, 573, 575, 578, 581, 587
  salexigens, 557
  vulgaris, 557
Desulfovibriones, 557, 561
Deuterostomia, 97, 101
Development and application of the area concept in biogeography, the, George L. Rotramel, 227–232
Diaemus, 18, 22
Diatraea saccharalis, 104, 115
Diclidurus, 16, 24
Diphylla, 18, 22
Diptera, 77–83
Discussion of symposium papers on contemporary systematic philosophies, 393–400
Distance,
  immunological, 1–13
Distribution,
  geographic, 59–60
Dobsonia, 16, 26, 27
Dogfish, 535
Donax dentiferus, 453
Doolittle, R. F., see O'Neil, P. B. and —
Dorippidae, 626
Dory, 535
Dostia violacea, 612
Drepanidae, 470
Dromiidae, 625, 629
Drosophila, 105, 116, 365, 367, 369, 371, 492
  melanogaster, 277
  paulistorum, 112, 113, 115, 367
  persimilis-pseudooscura, 141
Ducks, 216
Dyacopterus, 16, 26
Dynomenidae, 629

Echidna, 510, 527
Echinodermata, 101
Echinus, 114
Ecological niches, 361, 362, 368, 369
Ectophylla, 17, 26
Ectoprocta, 101, 233–239
Egret,
  common, 443
  little, 443
Egretta
  alba, 443, 444, 446
  garzetta, 443, 444, 446, 447
Eidolon, 15, 16, 26
Elephant, 593, 594
Ellobiidae, 618
Ellobium, 468
  aurisjudae, 612, 613
Emballonura, 16, 24
Emballonuridae, 28
Emerita, 456–459, 462, 463, 465
  rathbuni, 457
  talpoida, 457
Enchisthenes, 17, 26
Endemism and zoogeography, D. R. Horton, 84–86
Engina duclosiana, 612
Enhydrina, 603
  schistosa, 598, 604
Eonycteris, 16, 27
Epitonium, 468, 612
Epomophorus, 16, 26, 27
Epomops, 16, 26
Eptesicus, 18, 19, 23, 24, 27
Equistem, 577
Equivalance,
  ecological, 21
Erophylla, 18, 27
Errazurizia, 283, 285, 286
Erwin, Terry Lee, A reclassification of bombardier beetles and a taxonomic revision of the North and Middle American species (Carabidae: Brachinida) (rev.), 203–206
Escherichia coli, 555, 571
Esox lucius, 536, 538
Euderma, 18, 23, 25
Eudiscopus, 18, 24
Euglena gracilis, 563
Eumetazoa, 97
Eumops, 19, 23, 25
Evolution, 219–226, 250–256, 466–477
  molecular, 554–565
  rate of, 77–83, 486–506
Evolution in the house sparrow. IV. Replicate studies in phenetic covariation, Richard F. Johnston, 219–226
Evolution of iron-sulfur protein containing organisms, the, Kerry T. Yasunobu and Masaru Tanaka, 570–589
Evolutionary,
  classifications, 375–392
  trees, 240–249
Evolutionary aspects of the structure of muscular parvalbumins, J. F. Pechère, J. P. Capony and J. Demaille, 533–548
Evolutionary development of form and symmetry (symposium), 401–506
Evolutionary significance of proteins (symposium), 507–608
Evolutionary significance of proteins, Walter M. Fitch, 507
Evolutionary strategies and morphological innovations: Cichlid pharyngeal jaws, Karel F. Liem, 425–441

Fabricational noise in adaptive morphology, Adolf Seilacher, 451–465
Factor analysis of variation in the first pair of

swimming feet of the Candaciidae (Copepoda: Calanoida), Thomas J. Lawson, 302–309
Fagopyrum esculentum, 550
Farmer, Jack D., James W. Valentine and Richard Cowen, Adaptive strategies leading to the ectoproct ground-plan, 233–239
Farris, James S., A probability model for inferring evolutionary trees, 250–256
Farris, James S., On comparing the shapes of taxonomic trees, 50–54
Farris, Steve, 396–398
Fauna,
  bat, 14–29
  cave, 64–76
Fazaluddin, M., see Nagarkatti, Sudha and —
Feathers, 442–450
Feet,
  swimming, 302–309
Felsenstein, Joseph, Maximum likelihood and minimum-steps methods for estimating evolutionary trees from data on discrete characters, 240–249
Fibrinopeptide, 590–595
Fish,
  hybridization, 216
Fitch, Walter M., Evolutionary significance of proteins, 507
Fitch, Walter M., review by, 196
Flagellates,
  golden green, 479
Flight,
  bird, 442–450
Fly,
  fruit, 78–82
  screw-worm, 78–82
Foraminifera, 482
Fordilla, 487
Fox, 157–165
Frog, 1–13
Function-point cluster analysis, Jeffrey Owen Katz and F. James Rohlf, 295–301
Functional aspects of some details of bird wing configuration, Nikolai V. Kokshaysky, 442–450
Functional inferences from morphometrics: Problems posed by uniqueness and diversity among the primates, Charles E. Oxnard, 409–424
Fundamental problems in biological classification, some, Graham C. D. Griffiths, 338–343
Furipteridae, 28
Furipterus, 18, 24

Gadus
  callarias, 536, 538
  merlangus, 535
Gaffney, Patrick M., Setal variation in *Halosydna brevisetosa*, a polynoid polychaete, 171–175
Gafrarium, 455
Galactia, 286
Galago, 412
  crassicaudatus, 514
Galatheidae, 628
Gammarus, 430, 431
Gates, Gordon E., Burmese earthworms—An introduction to the systematics and biology of megadrile oligochaetes with special references to southeast Asia (rev.), 197–199
Genetic variability and relationships in Pacific salmon and related trout based on protein variations, Fred M. Utter, Fred W. Allendorf and Harold O. Hodgins, 257–270
Ghiselin, Michael T. and Linda Jaffe, Phylogenetic classification in Darwin's *Monograph on the Sub-class Cirripedia*, 132–140
Ginkgo biloba, 550
Glischropus, 18, 24
Glossophaga, 17, 27
Glycera, 511, 517
  dibranchiata, 509, 510
Glycymeridae, 488
Glycyrrhiza, 286
Gnathostomata, 350
Goat, 508–532
Goneplacidae, 628
Goniomya, 456, 460
Goodman, Morris and G. William Moore, Phylogeny of hemoglobin, 508–532
Gorilla, 415, 417, 419, 519
  gorilla, 514, 515
Gossypium, 550, 551
Gould, Stephen Jay, Systematic pluralism and the uses of history, 322–324
Gould, Stephen Jay, The shape of things to come, 401–404
Grackle,
  hybridization, 215
Gramineae, 484
Grapsidae, 630
Griffiths, Graham C. D., 398
Griffiths, Graham C. D., review by, 334
Griffiths, Graham C. D., Some fundamental problems in biological classification, 338–343
Guizotia, 550
Gymnolaemata, 234
Gymnosperm, 468, 471
Gynandromorph, 110
Gypaetus, 443

Habitat and phenetic variation in *Phymata americana* Melin (Heteroptera), the, Larry G. Mason, 271–279
H[aemachatus] haemachatus, 598, 603–605
Hake, 535, 536, 538, 542, 543, 546
Haliaebus, 443
Haliotis, 467
Halosydna
  brevisetosa, 171–175
  johnsoni, 171, 172

Hansell, R. I. C. and D. A. Chant, A method for estimating relative weight applied to characters by classical taxonomists, 46–49
Haplochromis, 439
  burtoni, 429–431
  placondon, 436
  vanderhorsti, 438
Haplonycteris, 16, 26
Haplopappus, 128
Harpiocephalus, 18, 25
Harpyionycteris, 16, 26
Helianthus, 550
Heliothis zea, 104, 115
Hemerocampa pseudotsugata, 104
Hemiptera, 106
Hemoglobin,
  phylogeny of, 508–532
Hennig, 55
Heron, 442–450
  grey, 443
  squacco, 443
Hesperocimex, 106
Hesperoptenus, 18, 24
Heterodonta, 487
Heterodontus, 463, 464
Heteroptera, 271–279
Heterotis niloticus, 312
Heywood, Vernon, 393–394, 398–399
Higher-level phylogeny of vertebrates, the, Gareth J. Nelson, 87–91
Hippa, 630
Hippidae, 627
Hipposideros, 17, 22–24, 27
Hippuritacea, 501
Hippuritidae, 501
Histiotus, 18, 24
Hodgins, Harold O., see Utter, Fred M., —
Holt, Perry C. (ed.), The distributional history of the biota of the southern Appalachians (rev.), 199–201
Homo, 417, 419–422, 519, 529
  habilis, 410
  neandertalensis, 414
  sapiens, 410, 416
Homolidae, 626, 629, 630
Homolodromiidae, 629
Homologous, 596
Homology, 55–63, 375–392
Honey-creeper, 470
Horton, D. R., Endemism and zoogeography, 84–86
Horton, D. R., Primitive species, 330–333
Horton, David, The concept of zoogeographic subregions, 191–195
Hughes, Gilbert C., see Maze, Jack and —
Hull, David L., Introduction to the symposium, 337
Hybodus, 464
Hybridization, 103–117, 213–218
  foxes, 157–165
  grackle, 215
  lizard, 215
  zones, 213–218
Hydra, 482
Hydrodictyon, 481
Hydromys, 40, 44
  chrysogaster, 39, 41, 44
  habbema, 39, 41, 42, 44
Hyla
  cinerea, 216
  gratiosa, 216
Hylarana, 8
  temporalis, 2–10
Hylobates, 415, 417
  agilis, 514, 515, 521
  lar, 515, 521
Hylonycteris, 17, 27
Hymenoptera, 77–83, 103–117
Hyomys, 38, 44
  goliath, 39
Hyperoliidae, 3, 8
Hypothesis,
  non-specificity, 36–45
  Red Queen's, 494
  unit character, 338, 341
Hypsignathus, 16, 26
Hypsipyla ferrealis, 115

I.C.S.E.B.,
  Contemporary systematic philosophies (symposium), 337–400
  Evolutionary development of form and symmetry (symposium), 401–506
  Evolutionary significance of proteins (symposium), 507–608
Ibis, 443
Ichthyostega, 402
Inarticulata, 100
Insect, 271–279, 280–294
Insular biogeography in continental regions. II. Cave faunas from Tessin, southern Switzerland, François Vuilleumier, 64–76
Interbreeding in the arid-land foxes, *Vulpes velox* and *V. macrotis*, Sievert A. Rohwer and Delbert L. Kilgore, Jr., 157–165
Introduction to the symposium, David L. Hull, 337
Iron-sulfur proteins, 570–589
Ixodorhynchidae, 176–183

Jackson, James F., A search for the population asymmetry parameter, 166–170
Jaffe, Linda, see Ghiselin, Michael T. and —
Jamieson, Barry G. M., see Brinkhurst, Ralph O. and —
Jardine, 56, 57
Jaws,
  pharyngeal, 425–441
Jay,
  Siberian, 448

Johnson, C. D., see Slobodchikoff, C. N. and —
Johnson, L. A. S., 399
Johnston, Richard F., Evolution in the house sparrow. IV. Replicate studies in phenetic covariation, 219–226

Kassina wealii, 3, 6
Katz, Jeffrey Owen and F. James Rohlf, Function-point cluster analysis, 295–301
Kerivoula, 18, 25
Kilgore, Delbert L., Jr., see Rohwer, Sievert A. and —
King, Mary-Claire, see Wallace, Donald G., —
Kokshaysky, Nikolai V., Functional aspects of some details of bird wing configuration, 442–450
Koopman, Carl, 396

Labeotropheus fuelleborni, 436
Laephotis, 18, 24
Lambis, 468
Lamingtona, 18, 23, 25
Lampetra, 511
  fluviatilis, 510
Lamprologus tretocephalus, 434
Lane, H. R., 325–327
Lane, H. Richard, Lectotype or neotype: A problem for ICZN clarification, 324–325
Langur, 510, 519, 528
Lasionycteris, 18
Lasiurus, 18, 23, 25
Laternula, 456, 460
Laticauda, 603
Latimeria chalumnae, 535, 538
Lavia, 17, 23
Lawson, Thomas J., Factor analysis of variation in the first pair of swimming feet of the Candaciidae (Copepoda: Calanoida), 302–309
Lectotype or neotype: A problem for ICZN clarification, H. Richard Lane, 324–325
Lefkovitch, L. P., see Baum, B. R. and —
Leguminosae, 284, 285
Lema collaris, 104
Lemur fulvus, 514, 515
Lenington, Sarah, 396
Lepadidae, 138
Lepas, 138
Lepidoptera, 77–83
Leptomys, 40
  elegans, 39
Leptonycteris, 17, 23, 26, 27
LeQuesne's uniquely derived character concept, a note on, Donald H. Colless, 320–321
Leucosiidae, 625, 628
Levels,
  trophic, 14–29
Lichonycteris, 17, 27
Lidicker, William Z., Jr., Phenetic analysis of some New Guinea rodents, 36–45
Liem, Karel F., Evolutionary strategies and morphological innovations: Cichlid pharyngeal jaws, 425–441
Lillywhite, Harvey B., review by, 201–202
Limnopithecus, 414, 415
Limpet,
  fissurellid keyhole, 470
Lionycteris, 17, 27
Lithodidae, 628
Littorina
  carinifera, 611, 612, 614
  melanostoma, 612, 613
  scabra, 611–614, 618
  undulata, 611–614
Littorinidae, 612, 615, 618, 619, 621
Lizard,
  hybridization, 215
Lobster,
  spiny, 535
Lomisidae, 628
Lonchophylla, 17, 27
Lonchorhina, 17
Lophophorata, 101
Loranthus, 567
Lorentzimys, 38, 41, 42, 44
  alticola, 39
  nouhuysii, 39
Loris,
  slow, 510, 519, 528
Löther, Rolf, Die beherrschung der mannigfaltigkeit (rev.), 334
Lotus, 283, 286
Lucaena glauca, 573, 576, 583
Lucinidae, 488
Lundberg, J. G., 330
Lundberg, John G., More on primitiveness, higher level phylogenies and ontogenetic transformations, 327–329
Lycopersicon, 556
Lyreidus, 627

Mabuya
  dominicana, 84
  guaparicola, 85
  lanceolata, 84
  lineolata, 84, 85
  luciae, 84
  mabouya, 85
  metallica, 84
  nigropalmata, 85
  nitida, 85
  pergravis, 85
  sloani, 85
  spilonota, 85
Macaca, 415
  fascicularis, 514
  fuscata, 510, 514
  mulatta, 510
Macarthur, 489
Macluritacea, 471

Macoma, 498
Macroderma, 17, 21
Macroglossus, 16, 26, 27
Macrophyllum, 17
  macrophyllum, 22
Macropus giganteus, 510
Macrotus, 17, 24, 26
Macruromys, 38, 41
  major, 39
Mactracea, 500
Magnoliatae, 552
Magnoliidae, 552
Maianthemum canadense, 272
Majidae, 630
Mallomys, 38, 41
  rothschildi, 39
Malvaceae, 282, 283, 285
Mammalia, 486–506
Mammalian phylogeny based on fibrinopeptide amino acid sequences, P. B. O'Neil and R. F. Doolittle, 590–595
Manischewitz, Jack R., Prediction and alternative procedures in numerical taxonomy, 176–184
Marcusodictyon, 235
Mason, Larry G., The habitat and phenetic variation in *Phymata americana* Melin (Heteroptera), 271–279
Maximum-likelihood, 250–256
Maximum likelihood and minimum-steps methods for estimating evolutionary trees from data on discrete characters, Joseph Felsenstein, 240–249
Mayermys, 38, 41, 42
  ellermani, 39
Maze, Jack and Gilbert C. Hughes, Monophyletic taxa—a reasonable definition, 84
McNeill, J., The sixth annual conference on numerical taxonomy, Philadelphia, October 1972, 185–190
Megachile rotundata, 77–83
Megaderma, 17, 21, 22, 25
Megadermatidae, 25
Megaerops, 16, 26
Megaloglossus, 16, 27
Megeleia rufa, 510
Melampus coffeus, 613
Melittophagus, 449
Melomys, 38, 40–42
  platyops, 39
  rufescens, 39
Melonycteris, 16, 26, 27
Merluccius merluccius, 535, 536, 538
Meropidae, 448
Merops apiaster, 449
Merrill, Glen K., Reply to H. R. Lane, 325–327
Mesostigmata, 176–183
Mesotaeniaceae, 480
Metameria, 101
Metazoa, 97, 100, 482, 483
Method for estimating relative weights applied to characters by classical taxonomists, a, R. I. C. Hansell and D. A. Chant, 46–49
Michener, C. D., 394, 395–396
Micrococci, 560
Micrococcus
  aerogenes, 573–575, 578, 584, 587
  denitrificans, 556
  elsdenii, 578
Microcystis flos-aquae, 577
Micronycteris, 17, 23, 25, 26
Micropteropus, 16, 26
Mimetillus, 18, 24
Mimon, 17, 21, 23
Mimosa, 283, 285
Mimosaceae, 284, 285
Minimum-steps method, 240–249
Miniopterus, 18, 25
Minutes of SSZ council meeting, 207–212
Mistletoe toxins, Gunnar Samuelsson, 566–569
Mite, 176–183
Mochocidae, 425
Model,
  isolation-by-distance, 367
Molluscs in mangrove swamps: Physiognomy, diversity, and regional differences, Geerat J. Vermeij, 609–624
Molossidae, 27
Molossops, 19, 25
Molossus, 19, 25
Monkey,
  diana, 410
  night, 515
  spider, 515
  squirrel, 515
  talapoin, 410
Monochrysis lutheri, 563
Monodonta labio, 614
Monolistra pavani, 73
Monophyletic taxa—a reasonable definition, Jack Maze and Gilbert C. Hughes, 84
Monophyllus, 17, 27
"Monophyly again?"—A reply to P. D. Ashlock, Gareth Nelson, 310–312
Moore, G. William, see Goodman, Morris and —
Mormoopidae, 28, 43
Mormoops, 17, 24
Morphology,
  adaptive, 451–465
  constructional, 451
Morula
  anaxeres, 614
  fiscella, 612–614
  triangulata, 614
Mosaic, 110
Moss, W. Wayne, 394–395
Moth,
  silkworm, 78–82
  tobacco horn worm, 78–82

Moulton, T. P., Principal component analysis of variation in form within *Oncaea conifera* Giesbrecht, 1891, a species of copepod (Crustacea), 141–156
Muricidae, 621
Muridae, 36–45
Murina, 18, 25
Mus, 40, 42, 44
  musculus, 37, 39, 215
Mya, 460
Myonycteris, 15, 16, 26
Myopterus, 19, 25
Myotis, 18, 19, 22–25, 27
  auriculus, 25
  bechsteini, 27
  daubentoni, 25
  emarginatus, 27
  evotis, 25
  keenii, 27
  macrodactylus, 25
  vivesi, 25
Mystacina, 18, 23, 25
Mytilidae, 501
Mytilus, 501
  californianus, 498
  edulis, 498
Myxomycetes, 482–484
Myxopyceae, 483, 484
Myzopoda, 18, 24
Myzopodidae, 28

Nagarkatti, Sudha and M. Fazaluddin, Biosystematic studies on *Trichogramma* species (Hymenoptera: Trichogrammatidae) II. Experimental hybridization between some *Trichogramma* spp. from the New World, 103–117
Naja
  haje, 598, 604, 605
  melanoleuca, 598, 604, 605
  mossambica, 605
  naja, 598, 603–605
  nigricollis, 598, 604, 605
  nivea, 598, 603, 604
Nanonycteris, 16, 27
Naquetia capucinus, 612–614
Nassariidae, 621
Natalidae, 28
Natalus, 18, 24
Natural hybridization and hybrid zones, David S. Woodruff, 213–218
Necrocarcinus, 626, 629
Negative gains and positive losses: A reply to J. G. Lundberg, Gareth Nelson, 330
Nelson, Gareth, 399
Nelson, Gareth, Classification as an expression of phylogenetic relationships, 344–359
Nelson, Gareth, Comments on Leon Croizat's biogeography, 312–320
Nelson, Gareth, "Monophyly again?"—A reply to P. D. Ashlock, 310–312
Nelson, Gareth, Negative gains and positive losses: A reply to J. C. Lundberg, 330
Nelson, Gareth J., The higher-level phylogeny of vertebrates, 87–91
Neohydromys, 42
  fuscus, 39
Neoplatymops, 18, 25
Neopteryx, 16, 26
Neotrigonia, 500
Neotype, 324–325
Nerita, 468, 614, 620, 621
  articulata, 612, 617
  grayana, 614
  planospira, 612, 613, 617
  senegalensis, 621
  striata, 611, 612, 617
  versicolor, 621
Neritacea, 468
Neritidae, 612, 615, 618
Nesophontes, 474
Nevadaspira, 467
New Guinea, 36–45
Niche, 486–506
  ecological, 361, 362, 368, 369
Nigella, 550
Niphargus, 73
Noctilio, 16, 22, 24
  leporinus, 22, 25
Notopocorystes, 626
Notopteris, 16, 26, 27
Notothixos, 567
Numerical taxonomic study of phylogenetic and phenetic relationships in some cultivated oats, using known pedigrees, a, B. R. Baum and L. P. Lefkovitch, 118–131
Nyctalus, 18, 24
Nycteris, 16, 23
Nycticebus coucang, 510
Nycticeius, 18, 19, 24, 27
Nyctimene, 16, 24, 26
Nyctiornis, 449
Nyctophilus, 18, 23, 25

Oats, 118–131
Ochromonas, 479
Oedogonium, 479, 480
Oncaea
  borealis, 153
  clevei, 153
  conifera, 141–156
  media, 142
  mediterranea, 142
  similis, 153
  venusta, 142

Oncorhynchus, 257–270
gorbuscha, 258
keta, 258
kisutch, 258
masou, 258
nerka, 258
tshawytscha, 258
O'Neil, P. B. and R. F. Doolittle, Mammalian phylogeny based on fibrinopeptide amino acid sequences, 590–595
Onychiurus handschini, 73
Onychophora, 101
Ooeidazyga lemma, 3, 5, 7
Oömycota, 481
Ophiophagus, 603
hannah, 605
Orthologous, 596
Oryzomys, 474
Osteoglossidae, 312
Otomops, 18, 25
Otonycteris, 18, 23, 25
Oulema melanopus, 104
Oxnard, Charles E., Functional inferences from morphometrics: Problems posed by uniqueness and diversity among the primates, 409–424
Oxynaspis, 138

Pachylasma, 138
Pachymelania, 621
aurita, 619
quadriseriata, 619
Palinurus vulgaris, 535
Pan, 410, 417, 419, 421, 422, 519, 529
troglodytes, 514, 515
Papilio, 152
Papilionoideae, 284
Papio, 417, 419
anubis, 514
Paracandacia, 302–309
bispinosa, 303, 306, 307
simplex, 303, 305, 308
truncata, 303, 305–307
Paracoelops, 17, 24
Paradigm, 451
Parahydromys, 41
Paraleptomys, 41
asper, 39
wilhelmini, 39
Paralogous, 596
Paranthropus, 410, 418
Paranyctimene, 16, 26
Parapatric, 213–218
Parazoa, 97
Parsimony,
principle of, 592
Parus
caeruleus, 216
cyanus, 216
Parvalbumins, 533–548
Passer
domesticus, 219–226
hispaniolensis, 222
Pastinaca, 550
Pechère, J. F., J. P. Capony and J. Demaille, Evolutionary aspects of the structure of muscular parvalbumins, 533–548
Pelecypod, 451–465
Penthetor, 16, 26
Peptostreptococcus
aerogenes, 573, 574, 578, 581
elsdenii, 572–575, 578, 584, 586, 587
Perisoreus infaustus, 448
Peropteryx, 16, 24
Petalostemum, 283, 285
Petricola carditoides, 455
Petromyzon, 511
marinis, 509, 510
Pharotis, 18, 23, 25
Phaseolus, 550, 551
Phenetic, 118–131, 219–226, 302–309
Phenetic analysis of some New Guinea rodents, a, William Z. Lidicker, Jr., 36–45
Phenetic and a phylogenetic approach to the classification of a genus of seed beetles (Coleoptera: Bruchidae), a, C. N. Slobodchikoff and C. D. Johnson, 280–294
Phenetic evidence, 55–63
Phenograms, 250–256
Philetor, 18, 24
Philosophical foundations of classical evolutionary classification, Walter J. Bock, 375–392
Philosophies,
systematic, 337–400
Phoca vitulina, 510
Phocaena phocaena, 510
Pholadomya, 460
Phoradendron, 567
tomentosum, 566, 567
Phoratoxin, 566–568
Phoronida, 101, 233–239
Phoronis
hippocrepia, 235
ovalis, 235, 237
Phrygilanthus, 567
Phtirusa, 567
Phycomycetes, 481
Phylactolaemata, 234
Phylloderma, 17, 23
Phyllonycteris, 18, 27
Phyllops, 17, 26
Phyllostomatidae, 25, 28
Phyllostomus, 17, 21
hastatus, 21
Phylogenetic, 118–131, 280–294
Phylogenetic classification in Darwin's *Monograph on the Sub-class Cirripedia*, Michael T. Ghiselin and Linda Jaffe, 132–140

Phylogenetic versus phenetic taxonomy: A reappraisal, W. J. van der Steen and W. Boontje, 55–63
Phylogeny, 1–13, 87–91, 344–359
  higher level, 327–329
Phylogeny of hemoglobin, Morris Goodman and G. William Moore, 508–532
Phymata americana, 271–279
Physeter catodon, 510
Pike, 536, 538, 542–544
Pipistrellus, 18, 19, 23, 24, 27
Planorbarius corneus, 474
Planorbidae, 472
Plastocyanin, 549–553
Platalina, 17, 27
Platyhelminthes, 482
Platymantis, 6
  papuensis, 3, 5, 7
Platymops, 19, 25
Plecodus paradoxus, 429, 434, 437
Plecotus, 18, 23, 25
Plerotes, 16, 26
Pleuroceridae, 619
Pleurotomariacea, 471
Plover,
  grey, 448
Plumatella, 236
Plutella maculipennis, 115
Pluteus, 469
Pluvialis squatarola, 448
Poa, 484
Pocket gophers, 215
Poecilozonites, 470
Pogonias, 435
Pogonomelomys, 38, 40, 44
  mayeri, 39, 42
  rümmleri, 39, 41
Pogonomys, 38, 41, 42, 44
  macrourus, 39
  sylvestris, 39
Pollicipes, 137, 138
  elegans, 138
  mitella, 138
  sertus, 138
Polygonaceae, 550
Pongo, 415, 417, 421, 422
Porcellanidae, 628
Porifera, 482, 483
Porphyra tenera, 563
Portunidae, 630
Potamididae, 614–616, 618, 619, 621
Potorous tridactylus, 510
Prediction and alternative procedures in numerical taxonomy, Jack R. Manischewitz, 176–184
Presbytis entellus, 510
Primates, 409–424, 508–532
Primitive species, D. R. Horton, 330–333
Primitiveness, higher level phylogenies and ontogenetic transformations, more on, John G. Lundberg, 327–329
Principal component analysis of variation in form within *Oncaea conifera* Giesbrecht, 1891, a species of copepod (Crustacea), T. P. Moulton, 141–156
Principle,
  Dollo's, 631
  of parsimony, 592
Pristolepis, 429–431, 433, 434
  fasciatus, 426–428
Probability model for inferring evolutionary trees, a, James S. Farris, 250–256
Proconsul, 414, 415
Promops, 19, 25
Propithecus
  verreaus, 515
  verreauxi, 514
Proteins,
  evolution of, 533–548
  evolutionary significance of, 507–608
  insect, 77–83
Proteolepas, 137, 138
Protostomia, 97
Protozoa, 97, 482–484
Psetta maxima, 535
Pseudohydromys, 42
  occidentalis, 39
Pseudomonas, 555, 557, 559–563
  aeruginosa, 558, 560, 561, 563
  denitrificans, 558
  fluorescens, 558, 561
  mendocina, 558
  oleovorans, 571, 579, 584, 585, 587
  putida, 573, 577, 585, 587
  stutzeri, 557, 558, 561
Pseudomys, 216
Pseudophryne
  bibroni, 216
  dendyi, 216
  semimarmorata, 216
Pseudosinella
  duodecimpunctata, 73
  insubrica, 73
Ptenochirus, 16, 26
Pteralopex, 16, 26
Pteronotus, 17, 24
Pteropodidae, 28
Pteropus, 15, 16, 23, 26, 27
Ptychodus, 464
Pumpkin, 550
Purpura, 468
Pygoderma, 18, 26

Quiscalus quiscula, 215
Quoyia decollata, 619

Rabbit, 1–13
Rachiplusia ou, 104
Radiolaria, 482
Radiolitidae, 501

Raja
clavata, 535, 536, 538
montagui, 536, 538
Ramapithecus, 529
Ramphochromis macrophthalmus, 436, 437
Rana, 1–13
areolata, 3, 5, 7
arfacti, 3, 5, 7
arfaki, 3
aurora, 2–11
boylei, 3, 5–8, 10, 11
brevipoda, 3, 5, 7
capito, 3, 5, 7
cascadae, 3, 5, 7, 8
catesbeiana, 1–11
clamitans, 2–7, 10
corrugata, 3, 5, 7
dalmatina, 3, 5–7
erythrea, 3, 5, 7
esculenta, 3, 5–7, 11, 510, 535, 536, 538
greenii, 3, 5, 7
grylio, 3, 5–7
japonica, 3, 5, 7
johnsoni, 10
limnocharis, 3, 5–8
muscosa, 3, 5, 7, 8
nigromaculata, 3, 5, 7
occipitalis, 2–10
palmipes, 3, 5, 7, 8
palustris, 3, 5, 7
pipiens, 1–12
pliocenica, 10
pretiosa, 3, 5, 7, 8
rugosa, 3, 5, 7
sphenocephala, 7
sylvatica, 3, 5, 7
temporaria, 1–10
virgatipes, 3, 5–7
warschewitschii, 3, 5, 7
Ranidae, 1–13
Ranina, 625, 627
Raninidae, 625–632
Raninoides, 627
Rape,
black, 550
Rats,
kangaroo, 495
Rattus, 38, 40–42, 44
exulans, 37, 39
niobe, 38, 39
norvegicus, 37, 39
rattus, 37, 39
ruber, 38, 39, 41
Ray, Clayton E., review by, 199–201
Ray,
spotted, 536, 538
thornback, 535, 536, 538
Regan, Tate, 92–93
Regimes,
faunal, 14–29
Relationships,
phylogenetic, 344–359
Rentz, David C., On Chresonymy, 195
Reply to H. R. Lane, Glen K. Merrill, 325–327
Reynolds, John W., review by, 196–197, 197–199
Rhacophoridae, 3, 8
Rhacophorus
eques, 3, 6, 7
leucomystax, 3, 6
maculatus, 3, 6
Rhamnaceae, 283, 285
Rhinocerus, 593
Rhinolophus, 17, 22–24, 27
Rhinomegalophus, 17, 23, 24
Rhinonicteris, 17, 24
Rhinophylla, 17, 26
Rhinopoma, 16, 24
Rhipidistia, 469–471
Rhizobium, 179
japonicum, 571
Rhizopoda, 482
Rhodopseudomonas, 560
palustris, 558, 561
Rhodospirillum rubrum, 556, 561, 562, 582
Rhogeessa, 18, 24
Rhynchonycteris, 16, 24
Rhynchosia, 283, 286
Ricinus, 550
Robinson, Michael D., Chromosomes and systematics of the Baja California whiptail lizards *Cnemidophorus hyperythrus* and *C. ceralbensis* (Reptilia: Teiidae), 30–35
Rodents,
New Guinea, 36–45
Rohlf, F. James, see Katz, Jeffrey Owen and ——
Rohwer, Sievert A. and Delbert L. Kilgore, Jr., Interbreeding in the arid-land foxes, *Vulpes velox* and *V. macrotis*, 157–165
Rosidae, 552
Rotramel, George L., The development and application of the area concept in biogeography, 227–232
Rousettus, 15, 16, 23, 26, 27
Rowell, A. J., review by, 94–95

Saccopteryx, 16, 24
Saimiri sciureus, 515
Salmo, 257–270
clarkii, 258, 259
gairdneri, 258
Sambucus, 550, 551
Samuelsson, Gunnar, Mistletoe toxins, 566–569
Sapindaceae, 470
Saquinus
mystax, 515
nigricollis, 515
Sauromys, 18, 25
Scalpellum villosum, 138

Scelio
muraii, 114
tsurukoensis, 114
Sceloporus, 166–170
grammicus, 215
undulatus, 166–169
woodi, 166–169
Scenedesmus, 573, 583
Scenedomonas, 583
Schaefferia subterranea, 73
Schopf, T. J. M. (ed.), Models in paleobiology (rev.), 94
Scilla nutans, 550
Scleronycteris, 17, 27
Scotomanes, 18, 24
Scotonycteris, 16, 26
Scotophilus, 18, 25
Scutarcopagia, 456
Seal,
harbor, 510
Search for the population asymmetry parameter, a, James F. Jackson, 166–170
Seed beetles, 280–294
Seilacher, Adolf, Fabricational noise in adaptive morphology, 451–465
Sesamum, 550
Sesbania, 283, 286
Setal variation in *Halosydna brevisetosa*, a polynoid polychaete, Patrick M. Gaffney, 171–175
Shape of things to come, the, Stephen Jay Gould, 401–404
Sheep, 508–532
barbary, 515
Shell, 451–465, 466–477
Shrew,
tree, 514
Sifaka, 514, 515, 519
Sipunculata, 101
Sipunculida, 101, 234
Sixth annual conference on numerical taxonomy, Philadelphia, October 1972, J. McNeill, 185–190
Slobodchikoff, C. N. and C. D. Johnson, A phenetic and a phylogenetic approach to the classification of a genus of seed beetles (Coleoptera: Bruchidae), 280–294
Snake, 176
Snake venom toxins: The evolution of some of the toxins found in snake venoms, D. J. Strydom, 596–608
Sokal, Robert R., 395, 399–400
Sokal, Robert R., The species problem reconsidered, 360–374
Solidago
canadensis, 272
gigantea, 272
graminifolia, 272
juncea, 272
Space, architecture, and biology, Peter S. Stevens, 405–408
Sparrow,
house, 219–226
Spathognathodus
ellisoni, 325–327
minutus, 324–327
Species,
primitive, 330–333
Species concept,
biological, 361–372
classical phenetic, 361–372
evolutionary, 361–372
phenetic, 361–372
Species diversity, 361, 368, 369
Species problem reconsidered, the, Robert R. Sokal, 360–374
Sphaerias, 16, 26
Sphaeronycteris, 18, 26
Sphenodiscus, 461
Spinach, 573, 576, 583
Spirillum itersonii, 556, 560
Spirochaeta aurantia, 571
Spirogyra, 480
Spirulina maximus, 583
Spodoptera exigua, 115
Squalus acanthias, 535
Squirrel,
flying, 500
Stanley, Steven M., Effects of competition on rates of evolution, with special reference to bivalve mollusks and mammals, 486–506
Stebbins, G. Ledyard, Adaptive radiation and the origin of form in the earliest multinuclear organisms, 478–485
Stenoderma, 18, 26
Stenolaemata, 234
Step-clines, 157–165
Sterkfontein, 412
Stevčić, Zdravko, The systematic position of the family Raninidae, 625–632
Stevens, Peter S., Space, architecture, and biology, 405–408
Strategies,
adaptive, 233–239
Strigilla, 455
Strombus, 468
Strydom, D. J., Snake venom toxins: The evolution of some of the toxins found in snake venoms, 596–608
Sturnira, 17, 26
Styloctenium, 16, 26
Subregions,
zoogeographic, 191–195
Superphyla, 97–102
Switzerland, 64–76
Syconycteris, 16, 26, 27
Symmetry, 401–441

Sympatric, 213–218
Systematic pluralism and the uses of history, Stephen Jay Gould, 322–324
Systematic position of the family Raninidae, Zdravko Stevčić, 625–632
Systematics, 338–343

Tachyglossus aculeatus, 510
Tadarida, 18, 19, 23, 25, 27
Tanaka, Masaru, see Yasunobu, Kerry T. and ——
Taphozous, 16, 24
Tapir, 593
Taraxacum, 484
Tarsius, 412
Tatochila, 104
Taxonomy,
  evolutionary, 55–63
  numerical, 176–184, 185–190
Techniques,
  numerical, 36–45
Tegula, 467
Teiidae, 30–35
Teleostei, 312
Teleostomi, 350
Telescopium telescopium, 612, 614, 616
Tellina, 498
  gargadia, 456
Tellinella pulcherrima, 456
Tephrosia, 286
Terebralia, 468
  palustris, 614
  sulcata, 611–614, 616
Tetraopes tetrophthalmus, 276
Thais
  buccinea, 613
  rugosa, 612, 613
Theory,
  classification, 46–49
  taxonomic, 46–49
Thiidae, 628
Thiobacilli, 560
Thiobacillus novellus, 556
Thomomys
  bottae, 215
  townsendii, 215
Thoopterus, 16, 26
Thyroptera, 18, 24
Thyropteridae, 28
Tilapia
  leucosticta, 216
  macrochir, 536
  spilurus, 216
Titmouse, 216
Tomopeas, 18, 25
Tonatia, 17, 21, 23, 25, 26
Tornaria, 469
Toxin,
  mistletoe, 566–569
  snake venom, 596–608
Trachops, 17, 21
Trachycardium, 456
Transformations,
  ontogenetic, 327–329, 330
Treefrog, 216
Trees,
  constructing phylogenetic, 591–594
  evolutionary, 240–249, 250–256
  taxonomic, 50–54
Trewavas, Ethelwynn, What Tate Regan said in 1925, 92–93
Triaenops, 17, 24
Tribolium, 277
Trichogramma, 103–117
  californica, 104–107, 109, 110, 113
  euproctidis, 104
  evanescens, 104
  fasciatum, 104, 106–110, 112–114
  koehleri, 103
  maltbyi, 104–107, 109, 110, 112, 113
  minutum, 104–107, 109, 110, 112–114
  perkinsi, 104, 106, 108–110, 112, 113, 115
  pretiosum, 104–106, 108, 109, 112–115
  retorridum, 103
  rojasi, 104–106, 108–110, 112, 113
  semblidis, 103
  semifumatum, 104, 106–110, 112, 113, 115
Trichogrammatidae, 103–117
Trichoplusia ni, 115
Trioxys
  pallidus, 114
  utilis, 114
Trochus, 467
Tropaeolum majus, 550
Trophic levels, 14–29
Trout, 257–270
Truncatellidae, 619
Tupaia glis, 514
Turbot, 535
Turtle, 216
Tylonycteris, 18, 24
Tymolidae, 628
Tymolus, 626
Tympanoconus radula, 621

Ulothrix, 480, 481
Uroderma, 17, 26
Uromys, 38, 41, 42, 44
  caudimaculatus, 39
Utter, Fred M., Fred W. Allendorf and Harold O. Hodgins, Genetic variability and relationships in Pacific salmon and related trout based on protein variations, 257–270

Valentine, James W., Coelomate superphyla, 97–102
Valentine, James W., see Farmer, Jack D., —
Vampyressa, 17, 26
Vampyrodes, 17, 26

Vampyrops, 17, 26
Vampyrum, 17, 21
van der Steen, W. J. and W. Boontje, Phylogenetic versus phenetic taxonomy: A reappraisal, 55–63
Van Valen, Leigh, Continuous variation, 93
Variation, 93
  phenetic, 271–279
  setal, 171–175
Vaucheria, 480
Veneridae, 472
Venoms,
  snake, 596–608
Vermeij, Geerat J., Adaptation, versatility and evolution, 466–477
Vermeij, Geerat J., Molluscs in mangrove swamps: Physiognomy, diversity, and regional differences, 609–624
Vermes, 97
Vermivora
  chrysoptera, 216
  pinus, 216
Verruca, 136, 138
Versatility, 466–477
Vertebrates, 87–91
Vespertilio, 18, 24
Vespertilionidae, 27
Vespula vulgaris, 77–83
Vexillum, 612
Viscotoxin, 566–568
Viscum, 567
  album, 566
Viviparidae, 612
Vuilleumier, François, Insular biogeography in continental regions. II. Cave faunas from Tessin, southern Switzerland, 64–76
Vulpes
  fulva, 164
  macrotis, 157–165
  velox, 157–165

Wallace, Donald G., Mary-Claire King and Allan C. Wilson, Albumin differences among ranid frogs: Taxonomic and phylogenetic implications, 1–13
Warbler, 216
Water net, 481
Weighting,
  character, 46–49, 55–63
Whale,
  sperm, 509–511
What Tate Regan said in 1925, Ethelwynn Trewavas, 92–93
Whitehead, Donald R., Classification, phylogeny, and zoogeography of *Schizogenius* Putzeys (Coleoptera: Carabidae: Scaritini) (rev.), 203–206
Whiting, 535
Wilson, Allan C., see Wallace, Donald G., —
Wilson, Don E., Bat faunas: A trophic comparison, 14–29
Wing configuration, 442–450
Woodpecker, 216
Woodruff, David S., Natural hybridization and hybrid zones, 213–218
Worm,
  blood, 510

Xanthidae, 630
Xenuromys, 38

Yasunobu, Kerry T. and Masaru Tanaka, The evolution of iron-sulfur protein containing organisms, 570–589

Zea mays, 550
Zeus faber, 535
Zinjanthropus, 410
Zones,
  hybrid, 213–218
Zoogeography, 84–86
  bats, 14–29

THE SOCIETY OF SYSTEMATIC ZOOLOGY

Systematic Zoology

VOLUME 22, 1973

NUMBERS 1–4

ISSUED 1973, LAWRENCE, KANSAS, U.S.A.

Systematic Zoology

PUBLISHED BY
THE SOCIETY OF SYSTEMATIC ZOOLOGY

Editor

ALBERT J. ROWELL
The University of Kansas, Lawrence, Kansas

Associate Editor

DAVID J. MCBRIDE
The University of Kansas, Lawrence, Kansas

Editorial Board

W. M. FITCH — 1973 — G. J. NELSON
University of Wisconsin, Madison — American Museum of Natural History

E. L. YOCHELSON
United States Geological Survey

M. K. HECHT — 1974 — D. L. HULL
Queens College, City University of New York — University of Chicago

F. J. ROHLF
State University of New York, Stony Brook

A. G. KLUGE — 1975 — R. K. SELANDER
University of Michigan — University of Texas, Austin

M. E. SOULÉ
University of California, San Diego

The Society of Systematic Zoology

OFFICERS FOR 1973

President
HERBERT H. ROSS
University of Georgia

President-elect
THEODORE DOWNS
Los Angeles County Museum

Secretary
TERRY L. ERWIN
National Museum of Natural History

Treasurer
LLOYD V. KNUTSON
Systematic Entomology Laboratory, USDA

Program Chairman
JAMES SLATER
University of Connecticut

THE COUNCIL

J. H. CAMIN — 1973 — J. S. MOURE
University of Kansas — Universidada Federal do Parana

C. GANS
University of Michigan

W. L. BROWN, JR. — 1974 — A. MCPHERSON
Cornell University — Edmonton, Canada

P. W. SMITH
Illinois Natural History Survey

D. P. ABBOTT — 1975 — M. MCKENNA
Hopkins Marine Station — American Museum of Natural History

R. T. ORR
California Academy of Science

and *ex-officio*, the President, the President-elect,
and the most recent Past-president
(NORMAN D. NEWELL)

Contents of Volume 22

NUMBER 1

Albumin Differences among Ranid Frogs: Taxonomic and Phylogenetic Implications
Donald G. Wallace, Mary-Claire King and Allan C. Wilson 1

Bat Faunas: A Trophic Comparison *Don E. Wilson* 14

Chromosomes and Systematics of the Baja California Whiptail Lizards *Cnemidophorus hyperythrus* and *C. ceralbensis* (Reptilia: Teiidae) *Michael D. Robinson* 30

A Phenetic Analysis of some New Guinea Rodents *William Z. Lidicker, Jr.* 36

A Method for Estimating Relative Weights Applied to characters by Classical Taxonomists
R. I. C. Hansell and D. A. Chant 46

On Comparing the Shapes of Taxonomic Trees *James S. Farris* 50

Phylogenetic Versus Phenetic Taxonomy: A Reappraisal *W. J. van der Steen and W. Boontje* 55

Insular Biogeography in Continental Regions. II. Cave Faunas from Tessin, Southern Switzerland
François Vuilleumier 64

Amino Acid Compositions of Cytochrome *c* from four Hymenopteran Species: Evolutionary Significance *Charles W. Carlson and Ronald W. Brosemer* 77

Points of View

Monophyletic Taxa—A Reasonable Definition *Jack Maze and Gilbert C. Hughes* 84

Endemism and Zoogeography *D. R. Horton* 84

The Higher-level Phylogeny of Vertebrates *Gareth J. Nelson* 87

What Tate Regan said in 1925 *Ethelwynn Trewavas* 92

Continuous Variation *Leigh Van Valen* 93

Review

Models in Paleobiology *A. J. Rowell* 94

Announcements 96

NUMBER 2

Coelomate Superphyla *James W. Valentine* 97

Biosystematic Studies on *Trichogramma* species (Hymenoptera: Trichogrammatidae) II. Experimental Hybridization between some *Trichogramma* spp. from the New World
Sudha Nagarkatti and M. Fazaluddin 103

A Numerical Taxonomic Study of Phylogenetic and Phenetic Relationships in some Cultivated Oats, using known Pedigrees *B. R. Baum and L. P. Lefkovitch* 118

Phylogenetic Classification in Darwin's *Monograph on the Sub-Class Cirripedia*
M. T. Ghiselin and Linda Jaffe 132

Principal Component Analysis of Variation in Form within *Oncaea conifera* Giesbrecht, 1891, a Species of Copepod (Crustacea) *T. P. Moulton* 141

Interbreeding in the Arid-Land Foxes, *Vulpes velox* and *V. macrotis*
Sievert A. Rohwer and Delbert L. Kilgore, Jr. 157

A Search for the Population Asymmetry Parameter — *James F. Jackson* 166

Setal variation in *Halosydna brevisetosa*, a polynoid Polychaete — *Patrick M. Gaffney* 171

Prediction and Alternative Procedures in Numerical Taxonomy — *Jack R. Manischewitz* 176

The Sixth Annual Conference on Numerical Taxonomy, Philadelphia, October 1972 — *J. McNeill* 185

Points of View

The Concept of Zoogeographic Subregions — *David Horton* 191

On Chresonymy — *David C. Rentz* 195

Reviews

Atlas of Protein Sequence and Structure, 1972 — *Walter M. Fitch* 196

Aquatic Oligochaeta of the World — *John W. Reynolds* 196

Burmese Earthworms—An Introduction to the Systematics and Biology of Megadrile Oligochaetes with Special References to Southeast Asia — *John W. Reynolds* 197

The Distributional History of the Biota of the Southern Appalachians — *Clayton E. Ray* 199

The Temperature and Water Relations of Reptiles — *Harvey B. Lillywhite* 201

A Reclassification of Bombardier Beetles and a Taxonomic Revision of the North and Middle American Species (Carabidae: Brachinida) and Classification, Phylogeny, and Zoogeography of *Schizogenius* Putzeys (Coleoptera: Carabidae: Scaritini) — *Lars Brundin* 203

Minutes of SSZ Council Meeting 207

NUMBER 3

Natural Hybridization and Hybrid Zones — *David S. Woodruff* 213

Evolution in the House Sparrow. IV. Replicate Studies in Phenetic Covariation — *Richard F. Johnston* 219

The Development and Application of the Area Concept in Biogeography — *George L. Rotramel* 227

Adaptive Strategies Leading to the Ectoproct Ground-plan — *Jack D. Farmer, James W. Valentine and Richard Cowen* 233

Maximum Likelihood and Minimum-Steps Methods for Estimating Evolutionary Trees from Data on Discrete Characters — *Joseph Felsenstein* 240

A Probability Model for Inferring Evolutionary Trees — *James S. Farris* 250

Genetic Variability and Relationships in Pacific Salmon and Related Trout Based on Protein Variations — *Fred M. Utter, Fred W. Allendorf and Harold O. Hodgins* 257

The Habitat and Phenetic Variation in *Phymata americana* Melin (Heteroptera) — *Larry G. Mason* 271

A Phenetic and a Phylogenetic Approach to the Classification of a Genus of Seed Beetles (Coleoptera: Bruchidae) — *C. N. Slobodchikoff and C. D. Johnson* 280

Function-Point Cluster Analysis — *Jeffrey Owen Katz and F. James Rohlf* 295

Factor Analysis of Variation in the First Pair of Swimming Feet of the Candaciidae (Copepoda: Calanoida) — *Thomas J. Lawson* 302

Points of View

"Monophyly Again?"—A Reply to P. D. Ashlock — *Gareth Nelson* 310

Comments on Leon Croizat's Biogeography — *Gareth Nelson* 312

A Note on LeQuesne's Uniquely Derived Character Concept — *Donald H. Colless* 320

GENERAL BOOKBINDING CO.
75 109AA 2 013 1 S 5725
QUALITY CONTROL MARK

Systematic Pluralism and the Uses of History — *Stephen Jay Gould* 322
Lectotype or Neotype: A Problem for ICZN Clarification — *H. Richard Lane* 324
Reply to H. R. Lane — *Glen K. Merrill* 325
More on Primitiveness, Higher Level Phylogenies and Ontogenetic Transformations — *John C. Lundberg* 327
Negative Gains and Positive Losses: A Reply to J. C. Lundberg — *Gareth Nelson* 330
Primitive Species — *D. R. Horton* 330

Reviews
Die Beherrschung der Mannigfaltigkeit — *Graham C. D. Griffiths* 334

Announcements 335

NUMBER 4

I.C.S.E.B. SYMPOSIA

"Contemporary Systematic Philosophies" Convenor—David L. Hull
Introduction to the Symposium — *David L. Hull* 337
Some Fundamental Problems in Biological Classification — *Graham C. D. Griffiths* 338
Classification as an Expression of Phylogenetic Relationships — *Gareth Nelson* 344
The Species Problem Reconsidered — *Robert R. Sokal* 360
Philosophical Foundations of Classical Evolutionary Classification — *Walter J. Bock* 375
Discussion of Symposium Papers on Contemporary Systematic Philosophies 393

"Evolutionary Development of Form and Symmetry" Convenor—Stephen Jay Gould
The Shape of Things to Come — *Stephen Jay Gould* 401
Space, Architecture, and Biology — *Peter S. Stephens* 405
Functional Inferences from Morphometrics: Problems Posed by Uniqueness and Diversity among the Primates — *Charles E. Oxnard* 409
Evolutionary Strategies and Morphological Innovations: Cichlid Pharyngeal Jaws — *Karel F. Liem* 425
Functional Aspects of Some Details of Bird Wing Configuration — *Nikolai V. Kokshaysky* 442
Fabricational Noise in Adaptive Morphology — *Adolf Seilacher* 451
Adaptation, Versatility and Evolution — *Geerat J. Vermeij* 466
Adaptive Radiation and the Origin of Form in the Earliest Multinuclear Organisms — *G. Ledyard Stebbins* 478
Effects of Competition on Rates of Evolution, with special reference to bivalve Mollusks and Mammals — *Steven M. Stanley* 486

"Evolutionary Significance of Proteins" Convenor—Walter M. Fitch
Introduction — *Walter M. Fitch* 507
Phylogeny of Hemaglobin — *Morris Goodman and G. William Moore* 508
Evolutionary Aspects of the Structure of Muscular Parvalbumins — *J.-F. Pechère, J.-P. Capony and J. Demaille* 533

Amino Acid Sequences of Cytochrome *c* and Plastocyanins in Phylogenetic Studies of Higher Plants — *Donald Boulter* 549

Bacterial Cytochromes *c* and Molecular Evolution — *R. P. Ambler* 554

Mistletoe Toxins — *Gunnar Samuelsson* 566

The Evolution of Iron-Sulfur Protein Containing Organisms — *Kerry T. Yasunobu and Masaru Tanaka* 570

Mammalian Phylogeny Based on Fibrinopeptide Amino Acid Sequences — *P. B. O'Neil and R. F. Doolittle* 590

Snake Venom Toxins: The Evolution of Some of the Toxins found in Snake Venoms — *D. J. Strydom* 596

ARTICLES

Molluscs in Mangrove Swamps: Physiognomy, Diversity, and Regional Differences — *Geerat J. Vermeij* 609

The Systematic Position of the Family Raninidae — *Zdravko Števčić* 625

Index of Volume 22 — *Troy Best* 633

549
554
566
570
590
596
609
625
633